General Certificate of Education June 2008 Advanced Level Examination

PHYSICS (SPECIFICATION A) Unit 4 Waves, Fields and Nuclear Energy

PA04



Section A

Wednesday 11 June 2008 9.00 am to 10.30 am

For this paper you must have:

- an objective test answer sheet
- a black ball-point pen
- a calculator
- a question paper/answer book for Section B (enclosed)
- a data sheet insert.

Time allowed: The total time for Section A and Section B of this paper is 1 hour 30 minutes.

Instructions

- Use a black ball-point pen. Do **not** use a pencil.
- Answer all questions in this section.
- For each question there are four responses. When you have selected the response which you think is the most appropriate answer to a question, mark this response on your answer sheet.
- Mark all responses as instructed on your answer sheet. If you wish to change your answer to a question, follow the instructions on your answer sheet.
- Do all rough work in this book **not** on the answer sheet.

Information

- The maximum mark for this paper is 30.
- All questions in Section A carry equal marks. No deductions will be made for incorrect answers.
- A Data Sheet is provided as a loose insert to this question paper.
- The question paper/answer book for Section B is enclosed within this question paper.


M/Jun08/PA04 PA04

SECTION A

In this section each item consists of a question or an incomplete statement followed by four suggested answers or completions. You are to select the most appropriate answer in each case.

- 1 Which one of the following statements concerning the acceleration of an object moving with simple harmonic motion is correct?
 - A It is constant.
 - **B** It is at a maximum when the object moves through the centre of the oscillation.
 - C It is zero when the object moves through the centre of the oscillation.
 - **D** It is zero when the object is at the extremity of the oscillation.
- When the length of a simple pendulum is decreased by 600 mm, the period of oscillation is halved. What was the original length of the pendulum?
 - **A** 800 mm
 - **B** 1000 mm
 - C 1200 mm
 - **D** 1400 mm

3



The graph shows, at a particular instant, the variation of the displacement of the particles in a transverse progressive water wave, of wavelength 4 cm, travelling from left to right. Which one of the following statements is **not** true?

- **A** Particles at P and R are in a phase.
- **B** The velocity of the particle at Q is a maximum.
- C The particle at S is moving downwards.
- **D** The distance PS = 3 cm.


4 Which one of the following statements is **not** correct?


Progressive longitudinal waves can


- **A** show interference effects.
- **B** be diffracted.
- C superpose to form a stationary wave.
- **D** be polarised.
- 5 Light of wavelength 590 nm is incident normally on a diffraction grating with 500 lines per mm.


What is the maximum number of orders that will be observed in the light emerging from the grating?

- **A** 2
- **B** 3
- **C** 4
- **D** 5
- An uncharged capacitor of fixed capacitance is connected in series with a switch and battery. The switch is closed at time t = 0. Which graph, **A** to **D**, shows how the energy, E, stored by the capacitor, changes with time, t, after the switch is closed?










- 7 The voltage across a capacitor falls from 10 V to 5 V in 48 ms as it discharges through a resistor. What is the time constant of the circuit?
 - **A** 24 ms
 - **B** 33 ms
 - **C** 69 ms
 - **D** 96 ms
- 8 The wheel of the London Eye has a diameter of 130 m and can rotate at a steady speed, completing one rotation every 30 minutes. What is the centripetal acceleration of a person in a capsule at the rim?
 - $A 1.2 \times 10^{-4} \text{m s}^{-2}$
 - **B** $2.5 \times 10^{-4} \text{m s}^{-2}$
 - $C 3.9 \times 10^{-4} \text{m s}^{-2}$
 - **D** $7.9 \times 10^{-4} \text{m s}^{-2}$
- **9** Which one of the following has different units to the other three?
 - A gravitational potential gradient
 - **B** gravitational field strength
 - C force per unit mass
 - **D** gravitational potential
- A charged particle of mass 4.80×10^{-13} kg and charge 8.00×10^{-19} C is stationary in a vertical electric field. What is the value of the electric field? (Assume that the gravitational field strength is $10.0 \,\mathrm{N\,kg^{-1}}$)
 - $A = 6.00 \times 10^5 V \, \text{m}^{-1}$
 - **B** $1.67 \times 10^6 \,\mathrm{V m}^{-1}$
 - C $6.00 \times 10^6 \,\mathrm{V m}^{-1}$
 - **D** $1.67 \times 10^7 \,\mathrm{V \, m}^{-1}$

11 The diagram shows four point charges, each +Q, at the corners of a square of side 2a. What is the electric field strength at P, the centre of the square?



- A zero
- $\mathbf{B} \qquad \frac{Q}{4\pi\varepsilon_0 a^2}$
- $\mathbf{C} = \frac{Q}{2\pi\varepsilon_0 a^2}$
- $\mathbf{D} \qquad \frac{Q}{\pi \varepsilon_0 a^2}$

An α particle and a β^- particle both enter the same uniform magnetic field, which is perpendicular to their direction of motion. If the β^- particle has a speed 15 times that of the α particle, what is the value of the ratio

 $\frac{magnitude\ of\ the\ force\ on\ the\ \beta^-\ particle}{magnitude\ of\ the\ force\ on\ the\ \alpha\ particle}\ ?$

- **A** 3.7
- **B** 7.5
- **C** 60.0
- **D** 112.5

- 13 If 1g of matter is completely transformed into energy, how much energy is released?
 - $9.0\times10^{13}MeV$ A
 - $9.0 \times 10^{16} \text{ MeV}$ $9.0 \times 10^{16} \text{ MeV}$ $5.6 \times 10^{23} \text{ MeV}$ $5.6 \times 10^{26} \text{ MeV}$ В
 - \mathbf{C}
 - D
- 14 Which one of the following statements correctly describes the changes that occur when a uranium nucleus undergoes fission?
 - A The binding energy per nucleon decreases and one or more neutrons are released.
 - В The binding energy per nucleon decreases and one or more protons are released.
 - \mathbf{C} The binding energy per nucleon increases and one or more neutrons are released.
 - The binding energy per nucleon increases and one or more protons are released. D
- A nucleus of $^{235}_{92}$ U absorbs a neutron and undergoes fission. Which one of the following gives 15 possible products of this process?
 - 2^{4}_{2} He $+ {}^{228}_{88}$ Ra
 - $^{141}_{56}$ Ba + $^{92}_{36}$ Kr + 3 $^{1}_{0}$ n В
 - $2_{-1}^{0}e + {}^{236}_{94}Pu$ \mathbf{C}
 - $^{212}_{84}$ Po + 4 $^{4}_{2}$ He + 8 $^{1}_{0}$ n

END OF SECTION A

There are no questions printed on this page

There are no questions printed on this page

Surname				Other	Names			
Centre Number					Cand	lidate Number		
Candidate Signature								

For Examiner's Use

General Certificate of Education June 2008 Advanced Level Examination

PHYSICS (SPECIFICATION A) Unit 4 Waves, Fields and Nuclear Energy

PA04



Section B

Wednesday 11 June 2008 9.00 am to 10.30 am

For this paper you must have:

- a pencil and a ruler
- a calculator
- a data sheet insert (enclosed in Section A).

Time allowed: The total time for Section A and Section B of this paper is 1 hour 30 minutes.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Answers written in margins or on blank pages will not be marked.
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The maximum mark for this Section is 45. This includes up to 2 marks for the Quality of Written Communication.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- A Data Sheet is provided as a loose insert to Section A.
- Questions 2(a) and 5(a) should be answered in continuous prose.
 In these questions you will be marked on your ability to use good English, to organise information clearly and to use specialist vocabulary where appropriate.

Question Mark Question Mark 1					
1 2 3 4 5 5 Total (Column 1) Total (Column 2) — Quality of Written Communication TOTAL	F	or Exam	iner's Us	e	
2 3 4 5 Total (Column 1) Total (Column 2) Quality of Written Communication TOTAL	Question	Mark	Question	Mark	
3 4 5 Total (Column 1) Total (Column 2) Quality of Written Communication TOTAL	1				
Total (Column 1) Total (Column 2) Quality of Written Communication TOTAL	2				
Total (Column 1) Total (Column 2) Quality of Written Communication TOTAL	3				
Total (Column 1) Total (Column 2) Quality of Written Communication TOTAL	4				
Total (Column 2) ———— Quality of Written Communication TOTAL	5				
Total (Column 2) ———— Quality of Written Communication TOTAL					
Total (Column 2) ———— Quality of Written Communication TOTAL					
Total (Column 2) ———— Quality of Written Communication TOTAL					
Quality of Written Communication TOTAL	Total (Co	olumn 1)	-		
Communication TOTAL	Total (Co	olumn 2) -	-		
TOTAL	Quality of Written				
	Communication				
Examiner's Initials	TOTAL				
	Examine	r's Initials			




Answer all questions.

You are advised to spend **one hour** on this section.

1 A simple model for the suspension system of a car represents the car as a rectangular block, the weight of which is supported equally by four identical springs that are fixed rigidly at their lower ends, as shown in **Figure 1**.

Figure 1




1	(a)	The mass of the block is 1600 kg, and tests have shown that vertical oscillations of the block have a frequency of 0.92 Hz. Calculate the spring constant of one of the springs.
		(2 marks)
1	(b)	In a further test of the model, the whole block is displaced vertically downwards with an initial displacement of 90 mm. The block is then released at time $t = 0$. You may assume that subsequently the block oscillates vertically with undamped simple harmonic motion.
		Calculate, for a time 0.20 s later,
1	(b)	(i) the vertical displacement of the block from its equilibrium position,



1	(b)	(ii)	the vertical speed of the block.	
			(4 marks	 s)

1 (c) In practice, the vertical oscillations of a car are greatly reduced by fitting dampers (known as shock absorbers) to the suspension system. **Figure 2 s**hows how a graph of displacement against time would appear if there were no damping. Draw a graph on the axes beneath it to show how the oscillations would vary with time for a car fitted with light damping. You should use the same time scale.

Figure 2



(2 marks)

Question 1 continues on the next page

Turn over >



1	(d)	An experiment is carried out to investigate the rattling of internal components of a at certain engine speeds. When a loudspeaker connected to an ac source of variable frequency is placed in front of the rear-view mirror, violent vibrations of the mirror produced when the frequency of the sound waves is 55 Hz.				
1	(d)	(i)	Give the name of this phenomenon.			
1	(d)	(ii)	Deduce the engine speed, in revolutions per minute, at which the same effective would be likely to occur in the car.	ect		
			(2	marks)		



2	(a)	You may be awarded additional marks to those shown in brackets for the quality of written communication in your answer.
		Describe, with the aid of a diagram, the appearance of
2	(a)	(i) the interference pattern produced by monochromatic light from a point source after the light has passed through a double slit system,
2	(a)	(ii) the diffraction pattern produced by monochromatic light from a point source after the light has passed through a single slit.
		(4 marks)
		Question 2 continues on the next page


Turn over ▶



2	(b)	apart is 58	ng's fringes, produced by monochromatic laser light passing through slits 0.60 mm are viewed on a screen. The distance across 20 fringe spacings on the screen mm. When the screen is moved 0.80 m further away from the slits, the distance as 20 fringe spacings becomes 74 mm.
2	(b)	(i)	Calculate the fringe width in the original arrangement.
2	(b)	(ii)	Show that the original distance from the slits to the screen was 2.9 m.
	. ,	. ,	
2	(b)	(iii)	Calculate the wavelength of the laser light.
			(5 marks)
			(5 marks)
			(2 marks)



3 (a) The graph shows how the gravitational force F between a $1000 \,\mathrm{kg}$ mass and the Moon varies with the distance r from the centre of the Moon for points outside its surface.



3 (a) (i) Explain why the graph has this shape for points outside the surface.

•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••

3 (a) (ii) Use data from the graph to determine the mass of the Moon.

Ose data from the graph to determine the mass of the woon.
(4 marks)
(1

Question 3 continues on the next page

Turn over ▶




3	(b)	(i)	From the graph, estimate the potential energy lost by the 1000 kg mass as it falls to the surface of the Moon from a very large distance above it. Explain how you arrive at your estimate.
3	(b)	(ii)	By considering the 1000 kg mass as a projectile, calculate the speed at which it should it be thrown vertically upwards from the surface of the Moon if it is to escape from the Moon's gravitational field.
			(5 marks)



4 A uniform magnetic field is produced by mounting two flat magnets on a U-shaped iron frame, so that the north and south poles are facing, as shown in **Figure 3**. The flux density of the magnetic field is 45 mT and may be assumed to act only over the area of the pole faces, which measure 40 mm by 20 mm. This magnet arrangement rests on the pan of a top pan balance.

Figure 3



4 (a) A horizontal wire is placed in the centre of the magnetic field and aligned to make it perpendicular to the flux lines. When a current is passed through the wire, the balance reading increases by 1.4×10^{-3} kg.

Calculate the current in the wire.	
	(2 marks)

Question 4 continues on the next page





4	(b)	The wire is disconnected from the current source and its ends are connected to a sensitive voltmeter. When the wire is moved rapidly, vertically upwards across the whole magnetic field, cutting all of the flux lines perpendicularly, the voltmeter gives a reading.				
		Calc	ulate			
4	(b)	(i)	the magnetic flux change experienced by the wire during its movement completely across the magnetic field,			
4	(b)	(ii)	the time taken for the wire to pass completely across the magnetic field, assuming it is moved at constant speed, if the voltmeter reads 0.15 mV.			
			(5 marks)			



5	(a)		may be awarded additional marks to those shown in brackets for the quality of en communication in your answer.
		In th	e context of nuclear fission, explain what is meant by
5	(a)	(i)	a chain reaction,
5	(a)	(ii)	critical mass.
			(4 marks)

Question 5 continues on the next page

Turn over ▶



5			eration and cooling are essential processes in the operation of a nuclear power for using thermal neutrons. For each process, name a suitable material that is used thieve the required effect, and state why it is suitable.
5	(b)	(i)	moderation
_	4.		
5	(b)	(11)	cooling
			(4 marks)
			Quality of Written Communication (2 marks)
			END OF QUESTIONS



Copyright © 2008 AQA and its licensors. All rights reserved.